
CONSTANT TEMPERATURE HEATED DRY BATHS

HDB Series Starts at





- ✓ Interchangeable Insert Blocks
- Models for 2 or 3 Insert Blocks
- Solid State Temperature Control

Omega® HDB Series heated dry baths provide a safe, dry, constant temperature source in laboratory applications involving incubation, boiling, inactivation, wet ashing, and enzyme analysis, as well as in a variety of clinical and industrial applications.

Interchangeable aluminum insert blocks accept tubes or containers ranging from 6 to 26 mm in diameter. A close fit of the tubes in the block ensures high heat transfer, and the heater's design, thermistor temperature sensor, and solid state circuitry provide exceptionally good temperature stability and uniformity. Temperature stability is ±0.1°C, and uniformity between blocks is ±0.2°C (both at 40°C).

On the HDB-2 and HDB-3, temperatures are adjusted with a dial calibrated in °C. On the HDB-3D, the dial and digital display are used to set the temperature. The digital indicator continuously displays the temperature.

A block extraction tool, and threaded fitting built into the block, allow easy removal. The user can also insert glass thermometers into the block for accurate temperature measurement.

SPECIFICATIONS

Temperature Range:

HDB-2: 1.25 to 105°C (75 to 219°F) HDB-3: 1.25 to 200°C (75 to 392°F) HDB-3D: 1.25 to 200°C (75 to 392°F)

Temperature Stability (at 40°C): HDB-2, HDB-3, HDB-3D, ± 0.1°C

Maximum Temperature Variation Between Blocks (at 40°C): 0.2°C



HDB-3D, 3 blocks, 650 W.-

Temperature Setting and Resolution: HDB-2, HDB-3, Rotary Dial, 2°C increments; HDB-3D, 3 digit display, 1°C resolution

Control Accuracy: HDB-2, HDB-3, ± 2°C; HDB-3D, ± 1°C

Aluminum Insert Blocks

Outside Dimensions (L x W x H): HDB-2, 260 x 202 x 105 mm, (10.2 x 7.9 x 4.1"); HDB-3, HDB-3D, 279 x 260 x 105 mm, (10.9 x 10.2 x 4.1") Shipping Weight: HDB-2, 4.1 kg (9.0 lb); HDB-3, HDB-3D, 5.0 kg (11 lb) Power: HDB-2, 450 W, 120V*, 50/60 Hz; HDB-3, HDB-3D, 650 W,

120V*, 50/60 Hz

* 240 volt models also available, add "-240V" suffix to model number.

Model Number	Tube Size	Number of Holes	Dimensions (mm)
6013501	Plain block	None	95 x 76 x 51
6013502	6 mm	30	95 x 76 x 51
6013503	10 mm	20	95 x 76 x 51
6013504	12 mm	20	95 x 76 x 51
6013505	13 mm	20	95 x 76 x 51
6013506	15 mm	12	95 x 76 x 51
6013507	16 mm	12	95 x 76 x 51
6013508	19 mm	8	95 x 76 x 51
6013509	25 mm	6	95 x 76 x 51
6013510	10 mm cuvettes, 2 channels	_	95 x 76 x 51
6013512*	Plain block thermometer	Hole only	95 x 225 x 51
6014460	Plain block thermometer	Hole only	95 x 76 x 51
6014462	24 mm	6	95 x 76 x 51
6014463	26 mm	6	95 x 76 x 51
6014464	1.5 mL eppendorf	20	95 x 76 x 51
6014465	0.5 mL eppendorf	30	95 x 76 x 51
6014466	Plastic half plain blocks**	_	95 x 37 x 50

* For HDB-3, HDB-3D only. ** If less than the maximum number of blocks is used, it is recommended that the plastic half blocks fill the space on either side of the aluminum block(s) to maintain temperature stability.

Ordering Example: HDB-2, heated dry bath with 2 model 6013503 20-hole insert blocks,

To Order (Specify Model Number) Model No. Description HDB-2 2 blocks, 25 to 105°C, 450 W, 120V HDB-3 3 blocks, 25 to 200°C, 650 W, 120V HDB-3D 3 blocks, 25 to 200°C, 650 W, 120V, temperature and setpoint display

Comes with block extraction tool, power cord and plug, and operator's manual. Aluminum insert blocks are ordered separately (see table at right).

Note: 240V models are also available. To order, add "-240V" suffix to model number.

| MOST POPULAR MODEL HIGHLIGHTED!

omega.com®

Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

www.omega.com



UNITED STATES

www.omega.com 1-800-TC-OMEGA Stamford, CT.

CANADA

www.omega.ca Laval(Quebec) 1-800-TC-OMEGA

GERMANY

www.omega.de Deckenpfronn, Germany 0800-8266342

UNITED KINGDOM

www. omega.co.uk Manchester, England 0800-488-488

FRANCE

www.omega.fr Guyancourt, France 088-466-342

CZECH REPUBLIC

www.omegaeng.cz Karviná, Czech Republic 596-311-899

BENELUX

www.omega.nl Amstelveen, NL 0800-099-33-44



More than 100,000 Products Available!

Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

Data Acquisition

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters